

# Declaration of Conformity



The undersigned, representing the following:

<b>Manufacturer</b>	
Eternit NV Kuiermansstraat 1 B – 1880 Kapelle-op-den-Bos	
Manufacturing plant :	7000

Following the provisions of the 89/106/EEC Construction Products Directive

herewith declare that the product **Eter-Board MD** to which this declaration relates

is in conformity with the provisions as described in the annex ZA of the following standard(s) :

EN12467:

Fibre-cement flat sheets – Product specification and test methods


Intended use(s) :

- Internal wall and ceiling finishes
- External wall and ceiling finishes

<i>Characteristic</i>	<i>Performance declaration</i>	<i>References</i>
Mechanical resistance	Category A – class 3	BBRI ref DE 65052047/A
Reaction to fire	Class A2 – s1 , d0	WFG ref 12048C
Water permeability	Pass	BBRI ref DE 65052047/A
Dimensional variations	Pass	BBRI ref DE 65052047/A
Release of dangerous substances	Type NT	
Durability against warm water	Pass	BBRI ref DE 65052047/A
Durability against soak / dry	Pass	Idem
Durability against freeze-thaw	Pass	Idem
Durability against heat-rain	Pass	BBRI ref DE 65052047/A

Name and address of notified laboratory involved :

- **Warringtonfiregent (WFG) NV**, Ottergemsesteenweg-Zuid 711, B-9000 Gent
- **BBRI**, Avenue P. Holoffe 21, B-1342 Limelette

For the manufacturer

Name : Verheyen Walter Position : Factory Manager Date : 02.10.2006

Ref nr Eternit SP80/06